


9000.07.205

	<p>OEM Manufacturer: Neotech End User: ArcelorMittal</p> <ul style="list-style-type: none"> • Compact Feedback Unit • Geared Resolver (200:1) • Replaces Neotech N-350073
---	--

Performance Specifications

Temperature	-15°C to +95°C
Humidity	0-95% RH, Non-Condensing
Protection	IP64

Resolver

R11XG1071
Replaces Micron 73-205-144 and Harowe 11BRCX-300-G..

Type	Control Transmitter
Speed	1
Excitation Frequency (Hz)	400 Hz
Transformation Ratio (Vout/Vin)	0,45
Accuracy	+/- 7 arcmin
R1 Ratio	+200 : + 1 (Same Direction, Input to Resolver)
Gears	Z 60 / Z 120 Modul 0.25
Gear Box (if required)	Harmonic drive 100:1

Label

MICRONOR P/N 9000.07.205		App.- Nr. M-XXXXXX
POSITION TRANSDUCER		
R1=200:1 PER TD 9000.07.205		
REPLACES NEOTECH N-350073		

USA.	+1-805-389-6600	SALES@MICRONOR.COM
EUR	+41-44-843-4020	WWW.MICRONOR.COM


Specification not to be changed without customer approval

9000.07.205

Electrical Wiring

Mounted Receptacle MS3110E-18-11P, 11C, Male/Pin Contacts

Mating Plug (available separately) MS3116F-18-11S, 11C, Female/Socket Contacts




Wire Color	Component	MICRON Function	Connector PIN#	
Red/White	Resolver 1	R1	A	
Black/White	Resolver 1	R2	B	
			C	No Connection
Red	Resolver 1	S1	D	
Black	Resolver 1	S3	E	
Yellow	Resolver 1	S2	F	
Blue	Resolver 1	S4	G	
			H	No Connection
			J	No Connection
			K	No Connection
			L	No Connection

Specification not to be changed without customer approval

9000.07.205

Dimensions



Specification not to be changed without customer approval

9000.07.205

Please Sign to Approve:

Name	Compartment	Date / Location
	ArcelorMittal (Customer)	
	Micronor Inc. (Sales)	

Specification not to be changed without customer approval