

OPTICAL PERFORMANCE:

IL:  $\leq 0.25dB$ RL: > 30dB

- KEEP BEND RADIUS ≥ 25MM.
- 2 WARNING: KEEP CONNECTOR COVERS IN PLACE DURING STORAGE TO PROTECT FIBER OPTIC SURFACES.
- DRAWINGS SUBJECT TO CHANGE WITHOUT NOTICE. FOR LATEST DRAWINGS, VISIT: WWW.MICRONOR.COM

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS

THE SOLE PROPERTY OF MICRONOR INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MICRONOR INC. IS PROHIBITED.

## UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES

**TOLERANCES:** TWO DECIMAL PLACE: ±.01 THREE DECIMAL PLACE: ±.004 FOUR DECIMAL PLACE: ±.0010 ANGULAR: ±.5°

## ODVA IP-LC CABLE ASSEMBLY

micronor www.micronor.com


805 389 6600


SCALE: DO NOT SCALE DRAWING

SIZE DWG. NO.

REV MR398-H26CDXXX В SHEET: 1.5:1 1 OF 1

NOTES: UNLESS OTHERWISE SPECIFIED





OPTICAL PERFORMANCE:

IL:  $\leq 0.25dB$ RL: > 30dB

- KEEP BEND RADIUS ≥ 15MM.
- 2 WARNING: KEEP CONNECTOR COVERS IN PLACE DURING STORAGE TO PROTECT FIBER OPTIC SURFACES.
- DRAWINGS SUBJECT TO CHANGE WITHOUT NOTICE. FOR LATEST DRAWINGS, VISIT: WWW.MICRONOR.COM

NOTES: UNLESS OTHERWISE SPECIFIED

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MICRONOR INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MICRONOR INC. IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES

## **TOLERANCES:**

TWO DECIMAL PLACE: ±.01 THREE DECIMAL PLACE: ±.004 FOUR DECIMAL PLACE: ±.0010 ANGULAR: ±.5°

## DUPLEX LC CABLE ASSEMBLY

SIZE DWG. NO.

MR398-T26CCXXX

micronor www.micronor.com

DO NOT SCALE DRAWING

SCALE:

SHEET:

1 OF 1

805 389 6600